

SAFETY DATA SHEET

according to Regulation (EU) 2015/830

Page 1/4

Construction Timber Preserver

Revision 3 Revision date 2020-07-30

1.1. Product identifier

1.2. Relevant identified uses of the substance or mixture and uses advised against

Product Use	[SU22] Professional uses: Public domain (administration, education, entertainment, services,
	craftsmen); [SU19] Building and construction work; [PC0] Other; [PROC11] Non industrial
	spraying; [ERC5] Industrial use resulting in inclusion into or onto a matrix;

1.3. Details of the supplier of the safety data sheet

Larsen Building Products Ltd

Address 4 West Bank Road

Belfast Harbour Industrial Estate

Belfast BT3 9JL

United Kingdom

Web www.larsenbuildingproducts.com

Telephone +44 (0)28 9077 4000 **Fax** +44 (0)28 9077 6945

Email t.moore@larsenbuildingproducts.com

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1	.2.	Class	sifica	tion	- E	C
12	72/	2002				

Skin Sens. 1: H317; Eye Dam. 1: H318;

2.2. Label elements

Hazard pictograms





Signal Word

Danger

Hazard Statement

Skin Sens. 1: H317 - May cause an allergic skin reaction.

Eye Dam. 1: H318 - Causes serious eye damage.

Precautionary Statement:

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

Prevention

P272 - Contaminated work clothing should not be allowed out of the workplace.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary Statement:

P302+P352 - IF ON SKIN: Wash with plenty of water/ .

Response

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P310 -Immediately call a POISON CENTER/doctor/ .

P321 - Specific treatment (see on this label).

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

Construction Timber Preserver

Revision 3
Revision date 2020-07-30

22	l ahe	l elen	nents
∠. ∠.	Lave	ı cıcıı	CILO

Precautionary Statement:

P501 - Dispose of contents/container to

Disposal

SECTION 3: Composition/information on ingredients

3.2. Mixtures

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Lignum D156					1 - 10%	6 Skin Sens. 1: H317; Eye
						Dam. 1: H318; STOT RE 2:
						H373;

Further information

CONTAINS: A mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one, 2-methyl-2H-isothiazol-3-one, 1,2-benzisothiazol-3(2H)-one and 2-methyl-4-isothiazolin-3-one. May produce an allergic reaction.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Irritating to respiratory system. Inhalation may cause coughing, tightness of the chest and irritation of the respiratory system. Move the exposed person to fresh air. Seek medical attention.
Eye contact	Irritating to eyes. Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist.
Skin contact	Irritating to skin. Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.
Ingestion	Ingestion may cause nausea and vomiting. Seek medical attention if irritation or symptoms persist. DO NOT INDUCE VOMITING.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Carbon oxides.

5.2. Special hazards arising from the substance or mixture

Burning produces irritating, toxic and obnoxious fumes.

5.3. Advice for firefighters

Wear suitable respiratory equipment when necessary.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation of the working area. Wear suitable protective equipment.

6.2. Environmental precautions

Do not allow product to enter drains. Prevent further spillage if safe.

6.3. Methods and material for containment and cleaning up

Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Adopt best Manual Handling considerations when handling, carrying and dispensing.

7.2. Conditions for safe storage, including any incompatibilities

Construction Timber Preserver

Revision 3
Revision date 2020-07-30

7.2. Conditions for safe storage, including any incompatibilities

Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in correctly labelled

containers.

SECTION 8: Exposure controls/personal protection

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Ensure adequate ventilation of the working area.

8.2.2. Individual protection

measures

Wear chemical protective clothing.

Eye / face protection Skin protection - Approved safety goggles.

Chemical resistant gloves (PVC).

Handprotection

Respiratory protection

In case of insufficient ventilation, wear suitable respiratory equipment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Colour

Liquid

Colour Light yellow

Odour Mild

SECTION 10: Stability and reactivity

10.2. Chemical stability

Stable under normal conditions

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity May cause sensitisation by skin contact.

SECTION 12: Ecological information

12.1. Toxicity

No data available

SECTION 13: Disposal considerations

General information

Dispose of in compliance with all local and national regulations.

SECTION 14: Transport information

14.1. UN number

The product is not classified as dangerous for carriage.

14.2. UN proper shipping name

The product is not classified as dangerous for carriage.

14.3. Transport hazard class(es)

The product is not classified as dangerous for carriage.

14.4. Packing group

The product is not classified as dangerous for carriage.

14.5. Environmental hazards

The product is not classified as dangerous for carriage.

Construction Timber Preserver

Revision 3 Revision date 2020-07-30

	TOVISION GREEN 2020 01 O			
14.6. Special precautions for user				
	The product is not classified as dangerous for carriage.			
14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code				
	The product is not classified as dangerous for carriage.			
Further information				
	The product is not classified as dangerous for carriage.			
SECTION 15: Regulatory information				

SECTION 16: Other information				
Other information				
Revision	This document differs from the previous version in the following areas:. 3 - Further information. 8 - Respiratory protection.			
Text of Hazard Statements in Section 3	Skin Sens. 1: H317 - May cause an allergic skin reaction. Eye Dam. 1: H318 - Causes serious eye damage. STOT RE 2: H373 - May cause damage to organs through prolonged or repeated exposure.			
Further information				
	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.			