
gyproc
SAINT-GOBAIN

CE



DECLARATION
OF PERFORMANCE

GYPFRAME METAL PROFILES

1	**Unique identification code of the product-type:**	Gypframe Metal Profiles
2	**Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):**	Gypframe 'C' Studs Gypframe AcouStuds Gypframe 'I' Studs Gypframe Folded Edge Standard Floor & Ceiling Channels Gypframe Deep Flange Floor & Ceiling Channels Gypframe Extra Deep Flange Floor & Ceiling Channels Gypframe CurveLyner Channel CasoLine MF Ceiling Channels and Accessories GypLyner Channels ShaftWall Starter Channels Gypframe Fixing Channels Gypframe Angles Gypframe Board Jointing Components Gypframe Sound Insulating Bars
3	**Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:**	Metal framing components for Gypsum Plasterboard Systems

DOP

DOP number attributed by manufacturer:
DOP_MP_METAL

SAINT-GOBAIN

4	**Name, registered trade name or registered trade mark and contact address of the manufacturer as required under Article 11(5):**	Saint-Gobain Construction Products (IRL) Ltd. Registered in Ireland, Company No. 11815 Unit 4 Kilcarbery Business park, Nangor Road, Dublin 22; D22 R2Y7, Tel: +353 (0) 1 629 8400
5	**Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12(2):**	N/A
6	**System or systems of assessment and verification of constancy of performance of the construction product as set out in CPR, Annex V:**	System 4
7	**In case of the declaration of performance concerning a construction product covered by a harmonised standard:**	EN 14195: 2014
8	**In case of the declaration of performance concerning a construction product for which a European Technical Assessment has been issued:**	N/A
9	**Declared performances according to EN 14195: 2014**	The characteristics in the table below apply to all products mentioned in 2 above.

Essential Characteristics	Performance	Harmonised technical specification
Reaction to Fire (R2F)	A1	EN 14195: 2014
Yield strength (σ)	210 N/mm^2	EN 14195: 2014
Dangerous Substances (DS)	NPD	EN 14195: 2014

11 Appropriate Technical Documentation and/ or Specific Technical Documentation:	The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 10. This declaration of performance is issue under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:



Kieran Holohan
Managing Director
Saint-Gobain Construction Products (Irl) Limited
10/03/26

Freephone ROI: 1800 744480
Freephone NI: 0845 3990159
Email: tech.ie@saint-gobain.com

www.gyproc.ie

Gyproc, Gypframe and Glasroc are all registered trade names of Saint-Gobain Construction Products (Irl) Limited. Isover is a registered trade name of Saint-Gobain.

Saint-Gobain Construction Products (Irl) Limited reserves the right to revise product specifications without notice. The information in this document was correct to the best of our knowledge at the time of publication. It is the user's responsibility to ensure that it remains current prior to use. The information in this document is for guidance only and should not be read in isolation. Users should read and familiarise themselves with all the information contained in this document and ensure that they are fully conversant with the products and systems being used, before subsequent specification or installation. For a comprehensive and up-to-date library of information visit the Gyproc website at: www.gyproc.ie

DOP

DOP number attributed by manufacturer:
DOP_MP_METAL