

## 1 Identification of the substance/mixture and of the company/undertaking


- **Product identifier**
- **Trade name: Cement Residue Remover**
- **Relevant identified uses of the substance or mixture and uses advised against**  
No further relevant information available.
- **Application of the substance / the preparation** Surface cleanser
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
WEPOS Chemie GmbH  
Textilstr. 2  
41751 Viersen  
Tel 0049-2162-266269-0  
Fax 0049-2162-266269-8
- **Informing department:** Research & Development
- **Emergency telephone number:** Manufacturer

15. Mai 2014  
Wepos Chemie GmbH  
Textilstraße 2  
41751 Viersen  
Tel.: 0 21 62 / 2 66 26 90  
Fax: 0 21 62 / 2 66 26 98

www.wepos-chemie.de  
service@wepos-chemie.de

Westhausen

## 2 Hazards identification

- **Classification of the substance or mixture**
- **Classification according to Directive 67/548/EEC or Directive 1999/45/EC**  
 Xi; Irritant  
R36/37/38: Irritating to eyes, respiratory system and skin.
- **Information concerning particular hazards for human and environment:**  
The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.
- **Classification system:**  
The classification is in line with current EC lists. It is expanded, however, by information from technical literature and by information furnished by supplier companies.
- **Label elements**
- **Labelling according to EU guidelines:**  
Observe the normal safety regulations when handling chemicals  
The product has been classified and labelled in accordance with EC Directives / Ordinance on Hazardous Materials (GefStoffV)
- **Code letter and hazard designation of product:**  
Xi Irritant
- **Risk phrases:**  
36/37/38 Irritating to eyes, respiratory system and skin.
- **Safety phrases:**  
2 Keep out of the reach of children.  
23 Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).  
24/25 Avoid contact with skin and eyes.  
26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.  
37 Wear suitable gloves.  
46 If swallowed, seek medical advice immediately and show this container or label.
- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

## 3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:** Mixture of the substances listed below with harmless additions.

(Contd. on page 2)

**Trade name: Cement Residue Remover**

(Contd. of page 1)

**· Dangerous components:**

CAS: 7647-01-0 EINECS: 231-595-7	hydrochloric acid C R34; Xi R37 Skin Corr. 1B, H314; STOT SE 3, H335	< 25%
CAS: 7664-38-2 EINECS: 231-633-2	Phosphorsäure > 25 % C R34 Skin Corr. 1B, H314	< 5%
CAS: 69011-36-5	Alkyl(C13)-polyethylenglykoether(5-9EO) Xn R22; Xi R41 Eye Dam. 1, H318	< 1%

**· Regulation (EC) No 648/2004 on detergents / Labelling for contents**

nonionic surfactants, Phosphate, Duftstoffe, LIMONENE	< 5%
---	------

**· Additional information** For the wording of the listed risk phrases refer to section 16.

## 4 First aid measures

**· Description of first aid measures**

**· General information**

Instantly remove any clothing soiled by the product.  
Take affected persons out of danger area and instruct to lie down.

**· After inhalation**

In case of unconsciousness bring patient into stable side position for transport.  
Seek medical treatment in case of complaints.  
Supply fresh air.

**· After skin contact**

Instantly wash with water and soap and rinse thoroughly.  
If skin irritation continues, consult a doctor.

**· After eye contact**

Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor.

**· After swallowing**

Do not induce vomiting; instantly call for medical help.  
Rinse out mouth and then drink plenty of water.

**· Information for doctor**

**· Most important symptoms and effects, both acute and delayed**

No further relevant information available.

**· Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

## 5 Firefighting measures

**· Extinguishing media**

**· Suitable extinguishing agents**

CO<sub>2</sub>, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.

**· Special hazards arising from the substance or mixture** No further relevant information available.

**· Advice for firefighters**

**· Protective equipment:** Do not inhale explosion gases or combustion gases.

## 6 Accidental release measures

**· Personal precautions, protective equipment and emergency procedures** Not required.

**· Environmental precautions:** Dilute with much water.

**· Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).  
Ensure adequate ventilation.

(Contd. on page 3)

**Trade name: Cement Residue Remover**

- **Reference to other sections**  
See Section 8 for information on personal protection equipment.

(Contd. of page 2)

## 7 Handling and storage

- **Handling**
- **Precautions for safe handling**  
Ensure good ventilation/exhaustion at the workplace.  
Prevent formation of aerosols.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and containers:** No special requirements.
- **Information about storage in one common storage facility:**  
Do not store together with alkalis (caustic solutions).
- **Further information about storage conditions:** Keep container tightly sealed.
- **Storage class 8**
- **Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**

- **Components with critical values that require monitoring at the workplace:**

### 7647-01-0 hydrochloric acid

WEL	Short-term value: 8 mg/m <sup>3</sup> , 5 ppm Long-term value: 2 mg/m <sup>3</sup> , 1 ppm (gas and aerosol mists)
-----	--

### 7664-38-2 Phosphorsäure > 25 %

WEL	Short-term value: 2 mg/m <sup>3</sup> Long-term value: 1 mg/m <sup>3</sup>
-----	---

- **Additional information:** The lists that were valid during the compilation were used as basis.
- **Exposure controls**
- **Personal protective equipment**
- **General protective and hygienic measures**  
Keep away from foodstuffs, beverages and food.  
Instantly remove any soiled and impregnated garments.  
Wash hands during breaks and at the end of the work.  
Avoid contact with the eyes and skin.
- **Breathing equipment:**  
In case of brief exposure or low pollution use breathing filter apparatus. In case of intensive or longer exposure use breathing apparatus that is independent of circulating air.
- **Protection of hands:**  
To avoid skin problems reduce the wearing of gloves to the required minimum.  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- **Material of gloves** Butyl rubber, BR
- **Penetration time of glove material**  
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:** Tightly sealed safety glasses.

GB  
(Contd. on page 4)

Trade name: Cement Residue Remover

(Contd. of page 3)

## 9 Physical and chemical properties

### · Information on basic physical and chemical properties

#### · General Information

#### · Appearance:

Form:	Liquid
Colour:	Light red
Smell:	Characteristic

· pH-value at 20 °C: < 1

#### · Change in condition

Melting point/Melting range: Not determined  
Boiling point/Boiling range: 100 °C

· Flash point: Not applicable

· Self-inflammability: Product is not selfigniting.

· Danger of explosion: Product is not explosive.

· Steam pressure at 20 °C: 23 hPa

· Density at 20 °C 1.06 g/cm<sup>3</sup>

#### · Solubility in / Miscibility with

Water: Fully miscible

· Other information No further relevant information available.

## 10 Stability and reactivity

### · Reactivity

### · Chemical stability

### · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

· Possibility of hazardous reactions Reacts with alkali (lyes)

· Conditions to avoid No further relevant information available.

· Incompatible materials: No further relevant information available.

· Hazardous decomposition products: Hydrogen chloride (HCl)

## 11 Toxicological information

### · Information on toxicological effects

#### · Acute toxicity:

#### · Primary irritant effect:

· on the skin: Irritant for skin and mucous membranes.

· on the eye: Irritant effect.

· Sensitization: No sensitizing effect known.

#### · Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version:  
Irritant

## 12 Ecological information

### · Toxicity

· Aquatic toxicity: No further relevant information available.

· Persistence and degradability No further relevant information available.

(Contd. on page 5)

**Trade name: Cement Residue Remover**


(Contd. of page 4)

- **Behaviour in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**  
Water hazard class 1 (Self-assessment): slightly hazardous for water.  
Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

### 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation**  
Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.
- **Uncleaned packagings:**
- **Recommendation:** Packaging can be reused or recycled after cleaning.
- **Recommended cleaning agent:** Water, if necessary with cleaning agent.

### 14 Transport information

• <b>UN-Number</b>	
• <b>ADR</b>	1760
• <b>UN proper shipping name</b>	
• <b>ADR</b>	1760 CORROSIVE LIQUID, N.O.S.
• <b>Transport hazard class(es)</b>	
• <b>ADR</b>	
	
• <b>Class</b>	8 Corrosive substances.
• <b>Label</b>	8
• <b>Packing group</b>	
• <b>ADR</b>	III
• <b>Special precautions for user</b>	Warning: Corrosive substances.
• <b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b>	Not applicable.
• <b>Transport/Additional information:</b>	
• <b>ADR</b>	
• <b>Limited quantities (LQ)</b>	LQ 7
• <b>Transport category</b>	3
• <b>Tunnel restriction code</b>	E

GB

(Contd. on page 6)

Trade name: Cement Residue Remover

(Contd. of page 5)

## 15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **National regulations**
- **Information about limitation of use:**  
Employment restrictions concerning young persons must be observed.  
Employment restrictions concerning pregnant and lactating women must be observed.
- **Technical instructions (air):**

Class	Share in %
III	< 1

- **Water hazard class:** Water hazard class 1 (Self-assessment): slightly hazardous for water.
- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## 16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**  
H314 Causes severe skin burns and eye damage.  
H318 Causes serious eye damage.  
H335 May cause respiratory irritation.  
R22 Harmful if swallowed.  
R34 Causes burns.  
R37 Irritating to respiratory system.  
R41 Risk of serious damage to eyes.
- **Department issuing data specification sheet:** Department of Manufacture.
- \* **Data compared to the previous version altered.**

GB

15. Mai 2014

Wepos Chemie GmbH  
Textilstraße 2  
41751 Viersen  
Tel.: 0 21 62 / 2 66 26 90  
Fax: 0 21 62 / 2 66 26 98

*Westhansen*