



Revision nr. 2  
Dated 14/06/2022  
Printed on 14/06/2022  
Page n. 1/7  
Replaced revision:1 (Dated: 14/06/2022)

## 4 - ATINITE LIQUIDA BIANCA

# Information Sheet

### SECTION 1. Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Code: BIFFI\_90, 90B, 90BT, 90Q, 90D  
Product name: VIKY SEAL 90 RED TYPE  
Chemical name and synonym: Anaerobic sealant

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use: Anaerobic sealant for thread joints

Identified Uses	Industrial	Professional	Consumer
Uso professionale	-	✓	-
Industrial use	✓	-	-
Uses Advised Against			
Do not use for other uses			

#### 1.3. Details of the supplier of the safety data sheet

Name: BIFFI Rag. ANTONIO di Biffi Carlo  
Full address: Via Cavour, 78  
District and Country: 20026 Novate Milanese (Milano)  
Italy  
Tel. +39 02/3545410  
Fax +39 02/3548230

e-mail address of the competent person responsible for the Safety Data Sheet: info@viky.it

#### 1.4. Emergency telephone number

For urgent inquiries refer to

**BIFFI - Tel. 39 02/3545410 (Contact from Monday to Friday from 8.30 / 12.30 AM- 1.30 / 6.00 PM)**

#### ITALIAN POISON CENTER

Ospedale Niguarda Cà Granda - Milano Tel. +39 02/66101029

CAV Centro Nazionale Informazione Tossicologica - Pavia Tel. +39 0382/24444

Centro Antiveleni Bergamo - +39 80011858 (CAV Ospedali Riuniti - Bergamo)

Centro Antiveleni Verona - +39 800011858 (Azienda Ospedaliera Integrata - Verona)

Centro Antiveleni Firenze - Tel. +39 055/7947819 (Azienda Ospedaliera 'Careggi' U.O. Tossicologia Medica-Firenze)

Centro Antiveleni Roma - Tel. +39 06/3054343 (CAV Policlinico Gemelli - Roma)

Centro Antiveleni Roma - Tel. +39 06/49978000 (CAV Policlinico Umberto I - Roma)

Centro Antiveleni Roma - Tel. +39 06/68593726 (CAV Osp. Pediatrico 'Bambino Gesù' DEA - Roma)

Centro Antiveleni Napoli - Tel. +39 081/7472870 (CAV Ospedale Cardarelli - Napoli)

Centro Antiveleni Foggia - Tel. +39 800183459 (CAV Az. Osp. Univ. Foggia - Foggia)

### SECTION 2. Hazards identification

#### 2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Not Classified

Health hazards Not Classified

Environmental hazards Not Classified



## VIKY SEAL 90 RED TYPE

Revision nr. 4  
Dated 14/06/2022  
Printed on 14/06/2022  
Page n. 2/7  
Replaced revision:3 (Dated: 04/07/2018)

### 2.2. Label elements

Hazard statements NC Not Classified

Supplemental label  
information

EUH210 Safety data sheet available on request.

### 2.3. Other hazards

None under normal conditions.

## SECTION 3. Composition/information on ingredients

### 3.2. Mixtures

The product does not contain substances classified as being hazardous to human health or the environment pursuant to the provisions Regulation (EC) 1272/2008 (CLP) (and subsequent amendments and supplements) in such quantities as to require the statement.

## SECTION 4. First aid measures

### 4.1. Description of first aid measures

Inhalation Move the exposed person to fresh air. Get medical attention if any discomfort continues.

Ingestion Rinse mouth thoroughly with water. Give a few small glasses of water or milk to drink. Never give anything by mouth to an unconscious person. Get medical attention.

Skin contact Wash skin thoroughly with soap and water. Remove contaminated clothing. If symptoms develop, obtain medical attention

Eye contact Remove any contact lenses and open eyelids wide apart. Rinse immediately with plenty of water. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

### 4.2. Most important symptoms and effects, both acute and delayed

Skin contact Prolonged contact may cause redness, irritation and dry skin.

Eye contact May cause temporary eye irritation.

### 4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor No specific recommendations. Treat symptomatically.

## SECTION 5. Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media Foam, carbon dioxide or dry powder.

Unsuitable extinguishing  
media

Do not use water jet as an extinguisher, as this will spread the fire.

### 5.2. Special hazards arising from the substance or mixture

Hazardous combustion  
products

Thermal decomposition could produce carbon monoxide, carbon dioxide, and unidentified organic compounds. Burning produces irritating, toxic and obnoxious fumes.

### 5.3. Advice for firefighters

Special protective equipment



## VIKY SEAL 90 RED TYPE

Revision nr. 4  
Dated 14/06/2022  
Printed on 14/06/2022  
Page n. 3/7  
Replaced revision:3 (Dated: 04/07/2018)

for firefighters  
Wear self contained breathing apparatus and protective clothing.

### SECTION 6. Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet.

#### 6.2. Environmental precautions

Environmental precautions Avoid discharge into drains or watercourses or onto the ground.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up Absorb spillage with sand or other inert absorbent. Transfer to suitable, labelled containers for disposal.

#### 6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. For waste disposal, see section 13.

### SECTION 7. Handling and storage

#### 7.1. Precautions for safe handling

Usage precautions Avoid contact with skin and eyes. Do not eat, drink or smoke when using this product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry, cool and well-ventilated place. Never return unused material to storage receptacle.

#### 7.3. Specific end use(s)

### SECTION 8. Exposure controls/personal protection

#### 8.1. Control parameters

#### 8.2. Exposure controls

##### Protective equipment



##### Appropriate engineering controls

Normal (mechanical) room ventilation should be adequate for small volumes. For higher volume activities, or if needed for worker comfort, local mechanical exhaust should be provided.

##### Eye/face protection

Use approved safety goggles or face shield. Personal eye protection should conform to EN 166

##### Hand protection

It is recommended that chemical-resistant, impervious gloves are worn. Gloves should conform to EN 374. For exposure up to 4 hours, wear gloves made of the following material: Nitrile rubber. Thickness:  $\geq 0.4$  mm The selected gloves should have a breakthrough time of at least 0.5 hours. For exposure up to 8 hours, wear gloves made of the following material:



## VIKY SEAL 90 RED TYPE

Revision nr. 4  
Dated 14/06/2022  
Printed on 14/06/2022  
Page n. 4/7  
Replaced revision:3 (Dated: 04/07/2018)

Nitrile rubber. Thickness:  $\geq 0.4$  mm The selected gloves should have a breakthrough time of at least 8 hours. The breakthrough time for any glove material may be different for different glove manufacturers. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. Considering the data specified by the glove manufacturer, check during use that the gloves are retaining their protective properties and change them as soon as any deterioration is detected.

### Other skin and body protection

Uniforms, coveralls, or a lab coat should be worn

### Hygiene measures

Wash at the end of each work shift and before eating, smoking and using the toilet. When using do not eat, drink or smoke. Wash promptly if skin becomes contaminated. Use of good industrial hygiene practices is required.

### Respiratory protection

Ensure adequate ventilation of the working area. Respiratory protection may be required if excessive airborne contamination occurs. Respiratory protection complying with an approved standard should be worn if a risk assessment indicates inhalation of contaminants is possible. Organic vapour filter. Type A. (EN14387)

## SECTION 9. Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Appearance Liquid.

Colour	Red.
Odour	Slight pungent.
Odour threshold	Not determined.
pH	Not relevant.
Melting point	Not available.
Initial boiling point and range	Not applicable.
Flash point	$>100^{\circ}\text{C}$
Evaporation rate	Not determined.
Vapour pressure	Not available.
Vapour density	Not available.
Relative density	«59» «184» 1.1
Solubility(ies) Insoluble in water.	Soluble in the following materials: Organic solvents.
Partition coefficient	Not determined.
Auto-ignition temperature	Not determined.
Decomposition Temperature	Not determined.
Viscosity	$\approx 50000 \text{ mPa s @ } 25^{\circ}\text{C}$
Explosive properties	Not determined.
Oxidising properties	Not applicable.

### 9.2. Other information

Other information Not relevant.

## SECTION 10. Stability and reactivity

### 10.1. Reactivity

Reactivity The following materials may react with the product: Strong oxidising agents.



## VIKY SEAL 90 RED TYPE

Revision nr. 4  
Dated 14/06/2022  
Printed on 14/06/2022  
Page n. 5/7  
Replaced revision:3 (Dated: 04/07/2018)

### 10.2. Chemical stability

Stability Stable at normal ambient temperatures and when used as recommended.

### 10.3. Possibility of hazardous reactions

Possibility of hazardous reactions

No specific material or group of materials is likely to react with the product to produce a hazardous situation.

### 10.4. Conditions to avoid

Conditions to avoid Avoid heat, flames and other sources of ignition.

### 10.5. Incompatible materials

Materials to avoid Strong acids. Strong alkalis. Strong oxidising agents. Strong reducing agents.

### 10.6. Hazardous decomposition products

Hazardous decomposition products

Thermal decomposition could produce carbon monoxide, carbon dioxide, and unidentified organic compounds.

## SECTION 11. Toxicological information

### 11.1. Information on toxicological effects

Toxicological effects The toxicological properties of this product have not been fully evaluated. Avoid direct contact with skin or eyes. Do not ingest or inhale.

Aspiration hazard

Aspiration hazard Based on available data the classification criteria are not met.

Inhalation Unlikely to be hazardous by inhalation because of the low vapour pressure of the product at ambient temperature.

Ingestion No harmful effects expected from quantities likely to be ingested by accident.

Skin contact Repeated exposure may cause skin dryness or cracking.

Eye contact May cause temporary eye irritation.

## SECTION 12. Ecological information

Ecotoxicity Not regarded as dangerous for the environment.

### 12.1. Toxicity

Toxicity No data available.

### 12.2. Persistence and degradability

Persistence and degradability No data available.

### 12.3. Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

Partition coefficient Not determined.

### 12.4. Mobility in soil

Mobility The product is insoluble in water.

### 12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB



## VIKY SEAL 90 RED TYPE

Revision nr. 4  
Dated 14/06/2022  
Printed on 14/06/2022  
Page n. 6/7  
Replaced revision:3 (Dated: 04/07/2018)

assessment

This product does not contain any substances classified as PBT or vPvB.

### 12.6. Other adverse effects

Other adverse effects None known.

## SECTION 13. Disposal considerations

### 13.1. Waste treatment methods

General information Waste disposal should be in accordance with existing Community, National and local regulations Empty containers may contain product residue; follow SDS and label warnings even after they have been emptied.

Disposal methods Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

Waste class 08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09

## SECTION 14. Transport information

General The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

### 14.1. UN number

Not applicable.

### 14.2. UN proper shipping name

Not applicable.

### 14.3. Transport hazard class(es)

Not applicable.

### 14.4. Packing group

Not applicable.

### 14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant No.

### 14.6. Special precautions for user

Not relevant.

### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

## SECTION 15. Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No. 716).

EU legislation Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).

COMMISSION REGULATION (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

Guidance Workplace Exposure Limits EH40.



## VIKY SEAL 90 RED TYPE

Revision nr. 4  
Dated 14/06/2022  
Printed on 14/06/2022  
Page n. 7/7  
Replaced revision:3 (Dated: 04/07/2018)

CHIP for everyone HSG228.  
Approved Classification and Labelling Guide (Sixth edition) L131.  
Safety Data Sheets for Substances and Preparations.

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

## SECTION 16. Other information

Revision date 14/06/2022  
Revision 4  
Supersedes date 04/07/2018

#### Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

#### CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.